

Date of issue: 01/13/2025

\*

Reviewed on 01/13/2025

Page 1/9

| Product identifier   |   |  |  |  |  |
|--|---|--|--|--|--|
| Trade name: <u>BD54</u><br>Other means of ide  | 4460 Part A (Resin)<br>entification   |  |  |  |  |
| Article number: BD54460 Part A (Resin)   |   |  |  |  |  |
| Details of the supp<br>Manufacturer/Sup<br>Big Dog Adhesives<br>435 Harrison Stree<br>ELKHART, IN 465<br>USA   | LLC<br>t  |  |  |  |  |
|  | tment: Product safety department  |  |  |  |  |
|  | one number:<br>ning times: +1 (520) 271-7313<br>REC 1-800-424-9300                            |  |  |  |  |
| Hazard(s) ident  | ification   |  |  |  |  |
| Classification of th   | e substance or mixture  |  |  |  |  |
| GHS07  |   |  |  |  |  |
| Skin irritation 2  | H315 Causes skin irritation.  |  |  |  |  |
| Eye irritation 2A  | H319 Causes serious eye irritation.   |  |  |  |  |
| Sensitization - skin   | 1 H317 May cause an allergic skin reaction.   |  |  |  |  |
| Label elements<br>GHS label element<br>Hazard pictograms<br>GHS07  | ts The product is classified and labeled according to the Globally Harmonized System (GH<br>s |  |  |  |  |
| <b>Signal word</b> Warni   | ng  |  |  |  |  |
| reaction product: b<br>Oxirane, Mono[(C.<br>Hazard statements<br>Causes skin irritati<br>Causes serious eye<br>May cause an aller<br>Precautionary state | irritation.<br>gic skin reaction.<br>e <b>ments</b>   |  |  |  |  |
| Wash thoroughly a  | st/fume/gas/mist/vapors/spray<br>fter handling.   |  |  |  |  |
| 0.2.0  | (Contd. on p  |  |  |  |  |

*Date of issue: 01/13/2025* 

Reviewed on 01/13/2025

## Trade name: BD54460 Part A (Resin)

| (Contd. of page 1)   |  |  |  |  |  |
|--|--|--|--|--|--|
| Contaminated work clothing must not be allowed out of the workplace.   |  |  |  |  |  |
| Wear protective gloves / eye protection / face protection.   |  |  |  |  |  |
| If on skin: Wash with plenty of water.   |  |  |  |  |  |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.                                       |  |  |  |  |  |
| Continue rinsing.  |  |  |  |  |  |
| Take off contaminated clothing and wash it before reuse.   |  |  |  |  |  |
| If skin irritation or rash occurs: Get medical advice/attention.   |  |  |  |  |  |
| Specific treatment (see on this label).<br>If eye irritation persists: Get medical advice/attention.   |  |  |  |  |  |
| Dispose of contents/container in accordance with local/regional/national/international regulations.  |  |  |  |  |  |
| · Information pertaining to particular dangers for man and environment:  |  |  |  |  |  |
| · Classification system:   |  |  |  |  |  |
| · NFPA ratings (scale 0 - 4)   |  |  |  |  |  |
|  |  |  |  |  |  |
| Health = 2   |  |  |  |  |  |
| $\begin{array}{c} 2 \\ 0 \\ Reactivity = 0 \end{array}$  |  |  |  |  |  |
| Keacuvuy – 0   |  |  |  |  |  |
| · HMIS-ratings (scale 0 - 4)   |  |  |  |  |  |
| HEALTH 2 $Health = 2$  |  |  |  |  |  |
| FIRE 0 $Fire = 0$  |  |  |  |  |  |
| <b>REACTIVITY</b> $\bigcirc$ <i>Reactivity</i> = 0   |  |  |  |  |  |
| · Other hazards  |  |  |  |  |  |
| · Results of PBT and vPvB assessment   |  |  |  |  |  |
| • <b>PBT:</b> Not applicable.  |  |  |  |  |  |
| · <b>vPvB:</b> Not applicable.   |  |  |  |  |  |
| Classification according to (d)(1)(ii) of § 1910.12000   |  |  |  |  |  |
| The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor  |  |  |  |  |  |
| products.  |  |  |  |  |  |
| • Hazards not otherwise classified<br>There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard |  |  |  |  |  |
| Communications Standard.   |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
| 3 Composition/information on ingredients   |  |  |  |  |  |
| · Chemical characterization: Mixtures  |  |  |  |  |  |
| • Description: Mixture of the substances listed below with nonhazardous additions.   |  |  |  |  |  |
| Dangerous components:  |  |  |  |  |  |
| 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average 60-80% *  |  |  |  |  |  |
| $molecular weight \le 700$   |  |  |  |  |  |

68609-97-2 Oxirane, Mono[(C12-14-alkyloxy)methyl] Derivs.

\* Actual concentration ranges are withheld as a trade secret.

# 4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

1-5% \*

US

Date of issue: 01/13/2025

Reviewed on 01/13/2025

(Contd. of page 2)

Trade name: BD54460 Part A (Resin)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- *Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.* • *After swallowing:* If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

### **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### • Protective Action Criteria for Chemicals

• **PAC-1:** 

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular 90 mg/m<sup>3</sup> weight  $\leq$  700)

#### · PAC-2:

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average 990 mg/m<sup>3</sup> molecular weight  $\leq$  700)

### • PAC-3:

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average 5,900 mg/m<sup>3</sup> molecular weight  $\leq$  700)

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### · Precautions for safe handling

*Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.* 

• Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

<sup>03</sup> 

Date of issue: 01/13/2025

Reviewed on 01/13/2025

#### Trade name: BD54460 Part A (Resin)

(Contd. of page 3)

- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Date of issue: 01/13/2025

\*

Trade name: BD54460 Part A (Resin)

Reviewed on 01/13/2025

(Contd. of page 4)

| Information on basic physical and chemical   | nvanautias                                    |  |
|--|---|--|
| General Information                          | properties                                    |  |
| Physical state                               | Fluid   |  |
| Color:                                       | According to product specification            |  |
| Odor:  | Characteristic                                |  |
| Odor threshold:                              | Not determined.                               |  |
| Melting point/Melting range:                 | Undetermined.                                 |  |
| Boiling point/Boiling range:                 | Undetermined.                                 |  |
| Flammability:                                | Not applicable.                               |  |
| Explosion limits:                            | 11  |  |
| Lower:                                       | Not determined.                               |  |
| Upper:                                       | Not determined.                               |  |
| Flash point:                                 | Not applicable.                               |  |
| Decomposition temperature:                   | Not determined.                               |  |
| pH-value:                                    | Not determined.                               |  |
| Viscosity:                                   |   |  |
| Kinematic:                                   | Not determined.                               |  |
| Dynamic:                                     | Not determined.                               |  |
| Solubility in / Miscibility with             |   |  |
| Water:                                       | Fully miscible.                               |  |
| Partition coefficient (n-octanol/water):     | Not determined.                               |  |
| Vapor pressure:                              | Not determined.                               |  |
| Vapor pressure:                              |   |  |
| Density at 20 °C (68 °F):                    | 1.16 g/cm <sup>3</sup> (9.6802 lbs/gal)       |  |
| Relative density                             | Not determined.                               |  |
| Bulk density:                                | $1,160 \text{ kg/m}^3$                        |  |
| Vapor density                                | Not determined.                               |  |
| Particle characteristics                     | Not applicable.                               |  |
| Other information                            |   |  |
| Appearance:                                  |   |  |
| Form:  | Fluid   |  |
| Important information on protection of healt | h and   |  |
| environment, and on safety.                  |   |  |
| Ignition temperature:                        | Product is not selfigniting.                  |  |
| Danger of explosion:                         | Product does not present an explosion hazard. |  |
| Solvent content:                             | 1 1   |  |
| VOC content:                                 | 0.00 %  |  |
|  | 0.0 g/l / 0.00 lb/gal                         |  |
| Solids content:                              | 40-70 %                                       |  |
| Change in condition                          |   |  |
| Evaporation rate                             | Not determined.                               |  |

## **10 Stability and reactivity**

· *Reactivity* No further relevant information available.

• Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

US

Date of issue: 01/13/2025

Reviewed on 01/13/2025

Trade name: BD54460 Part A (Resin)

· Hazardous decomposition products: No dangerous decomposition products known.

## **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

### · LD/LC50 values that are relevant for classification:

68609-97-2 Oxirane, Mono[(C12-14-alkyloxy)methyl] Derivs.

Oral LD50 17,100 mg/kg (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: Sensitization possible through skin contact.

• Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

• Interactive effects No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients is listed.

*Alternative sources for toxicological information No non-standard sources for toxicological information where used.* 

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · *Bioaccumulative potential* No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)

(Contd. of page 5)

Date of issue: 01/13/2025

Reviewed on 01/13/2025

#### Trade name: BD54460 Part A (Resin)

(Contd. of page 6)

## **13 Disposal considerations**

#### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

| · UN-Number  |                 |  |  |
|--|-----------------|--|--|
| · DOT, IMDG, IATA  | not regulated   |  |  |
| · UN proper shipping name<br>· DOT, IMDG, IATA   | not regulated   |  |  |
| · Transport hazard class(es)   |                 |  |  |
| · DOT, ADN, IMDG, IATA<br>· Class  | not regulated   |  |  |
| · Packing group<br>· DOT, IMDG, IATA   | not regulated   |  |  |
| · Environmental hazards:   | Not applicable. |  |  |
| • Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code Not applicable. |                 |  |  |
| • Special precautions for user   | Not applicable. |  |  |
| · UN "Model Regulation":   | not regulated   |  |  |

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 8)

US

Date of issue: 01/13/2025

Reviewed on 01/13/2025

Trade name: BD54460 Part A (Resin)

(Contd. of page 7)

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

 Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) Oxirane, Mono[(C12-14-alkyloxy)methyl] Derivs.
Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

Date of issue: 01/13/2025

Reviewed on 01/13/2025

## Trade name: BD54460 Part A (Resin)

|   | (Contd. of page 8) |
|---|--------------------|
| Contact: -  |                    |
| Date of previous version 12/09/2024   |                    |
| Date of preparation 01/13/2025  |                    |
| Abbreviations and acronyms:   |                    |
| IMDG: International Maritime Code for Dangerous Goods                       |                    |
| DOT: US Department of Transportation  |                    |
| IATA: International Air Transport Association                               |                    |
| EINECS: European Inventory of Existing Commercial Chemical Substances       |                    |
| ELINCS: European List of Notified Chemical Substances                       |                    |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) |                    |
| NFPA: National Fire Protection Association (USA)                            |                    |
| HMIS: Hazardous Materials Identification System (USA)                       |                    |
| VOC: Volatile Organic Compounds (USA, EU)                                   |                    |
| LC50: Lethal concentration, 50 percent                                      |                    |
| LD50: Lethal dose, 50 percent   |                    |
| PBT: Persistent, Bioaccumulative and Toxic                                  |                    |
| vPvB: very Persistent and very Bioaccumulative                              |                    |
| NIOSH: National Institute for Occupational Safety                           |                    |
| OSHA: Occupational Safety & Health  |                    |
| TLV: Threshold Limit Value  |                    |
| PEL: Permissible Exposure Limit   |                    |
| REL: Recommended Exposure Limit   |                    |
| Skin irritation 2: Skin corrosion/irritation – Category 2                   |                    |
| Eye irritation 2A: Serious eye damage/eye irritation – Category 2A          |                    |
| Sensitization - skin 1: Skin sensitisation – Category 1                     |                    |
| * Data compared to the previous version altered.                            |                    |
| - •   | US -               |