

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Product identifier Trade name: SeamLock Part B (Activator) Details of the supplier of the safety data sheet Manufacturer/Supplier: Big Dog Adhesives LLC 435 Harrison Street Elkhart IN 46516 USA Information department: Product safety department Emergency telephone number: During normal opening times: $+1$ (574) $350-2237$ 24 Hours: CHEMTREC $1-800-424-9300Hazard(s) identificationClassification of the substance or mixture\widehat{O} GHS07Sensitization - skin 1 H317 May cause an allergic skin reaction.Label elementsGHS label elements The product is classified and labeled accordHazard pictograms\widehat{O} GHS07Signal word WarningHazard-determining components of labeling:Dibenzoyl peroxideHazard statementsMay cause an allergic skin reaction.Precautionary statementsAvoid breathing dust/fume/gas/mist/vapors/sprayContaminated work clothing must not be allowed out of the work,Wear protective gloves.If on skin: Wash with plenty of water.Take off contaminated clothing and wash it before reuse.If skin irritation or rash occurs: Get medical advice/attention.Specific treatment (see on this label).Dispose of contents/container in accordance with local/regional/$	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Big Dog Adhesives LLC 435 Harrison Street Elkhart IN 46516 USA Information department: Product safety department Emergency telephone number: During normal opening times: +1 (574) 350-2237 24 Hours: CHEMTREC 1-800-424-9300 Hazard(s) identification Classification of the substance or mixture \widehat{V} GHS07 Sensitization - skin 1 H317 May cause an allergic skin reaction. Label elements GHS01 Signal word Warning Hazard-determining components of labeling: Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work, Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	
Manufacturer/Supplier: Big Dog Adhesives LLC 435 Harrison Street Elkhart IN 46516 USA Information department: Product safety department Emergency telephone number: During normal opening times: +1 (574) 350-2237 24 Hours: CHEMTREC 1-800-424-9300 Hazard(s) identification Classification of the substance or mixture \widehat{OO} GHS07 Sensitization - skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms \widehat{OO} GHS07 Signal word Warning Hazard-determining components of labeling: Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work, Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	
Emergency telephone number: During normal opening times: +1 (574) 350-2237 24 Hours: CHEMTREC 1-800-424-9300 Hazard(s) identification Classification of the substance or mixture Image: Colspan="2">Image: Chemistry of the substance or mixture Image: Chemistry of the substance or mixture<	
Classification of the substance or mixture GHS07 Sensitization - skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	
Classification of the substance or mixture GHS07 Sensitization - skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	
Sensitization - skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms \widehat{O}	
Sensitization - skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled accord Hazard pictograms	
Label elements GHS label elements The product is classified and labeled accord Hazard pictograms	
GHS label elements The product is classified and labeled accord Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labeling: Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	1.
Hazard-determining components of labeling: Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	
Dibenzoyl peroxide Hazard statements May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the work Wear protective gloves. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label).	
	-
	· · · ·

Page 1/8

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Trade name: SeamLock Part B (Activator)

	(Contd. of page
Information pertaining to particular dangers for man and environment:	
Classification system: NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 0\\ Fire = 0 \end{array}$	
$\begin{array}{c} 0 \\ 0 \\ Reactivity = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH O $Health = 0$	
FIRE 0 $Fire = 0$	
REACTIVITY 0 Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Classification according to (d)(1)(ii) of § 1910.12000 The SDS issuer does not object to the classifications provided by importers of	or manufacturers of precurse
products.	or manajacturers of precurso
Hazards not otherwise classified	
There are no adverse physical or health effects known that are not covered by the Communications Standard.	he hazard classes of the Hazar
Composition/information on ingredients	
composition information on ingreatents	
Chemical characterization: Mixtures	
Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
94-36-0 Dibenzoyl peroxide	2-7% *
* Actual concentration ranges are withheld as a trade secret.	

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

[—] US

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Trade name: SeamLock Part B (Activator)

(Contd. of page 2)

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- · Protective Action Criteria for Chemicals
- PAC-1:

All components have the value 15 mg/m^3 .

· PAC-2:

All components have the value $1,200 \text{ mg/m}^3$.

• PAC-3:

All components have the value $7,000 \text{ mg/m}^3$.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

• *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• *Additional information:* The lists that were valid during the creation were used as basis.

- Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Date of issue: 02/21/2025

Reviewed on 01/10/2025

(Contd. of page 3)

Trade name: SeamLock Part B (Activator)

Wash hands before breaks and at the end of work.

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

× * *		
• Information on basic physical and chemical p	properties	
· General Information		
· Physical state	Fluid	
· Color:	According to product specification	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
• Melting point/Melting range:	Undetermined.	
• Boiling point/Boiling range:	Undetermined.	
· Flammability:	Not applicable.	
Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable.	
• Decomposition temperature:	Not determined.	
· pH-value:	Not determined.	
· Viscosity:		
· Kinematic:	Not determined.	
· Dynamic:	Not determined.	
Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
• Partition coefficient (n-octanol/water):	Not determined.	
· Vapor pressure:	Not determined.	
· Vapor pressure:		
• Density at 20°C (68°F):	1.1 g/cm³ (9.1795 lbs/gal)	
· Relative density	Not determined.	
Bulk density:	$1,330 \ kg/m^3$	
· Vapor density	Not determined.	
	(Co	ntd. on page 5)

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Trade name: SeamLock Part B (Activator)

	(Contd. of page
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Fluid
Important information on protection of environment, and on safety.	f health and
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	
VOC content:	0.00 %
	50 g/L mixed
Solids content:	15-30 %
Change in condition	
Evaporation rate	Not determined.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Interactive effects No interactive effects between components are known.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

All components have the value 3.

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

US

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Trade name: SeamLock Part B (Activator)

(Contd. of page 5)

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information UN-Number · DOT, IMDG, IATA not regulated · UN proper shipping name · DOT, IMDG, IATA not regulated · Transport hazard class(es) · DOT, ADN, IMDG, IATA not regulated · Class · Packing group · DOT, IMDG, IATA not regulated • Environmental hazards: *Not applicable.* · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Not applicable. Special precautions for user · UN "Model Regulation": not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.

(Contd. on page 7)

^{- 115}

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Trade name: SeamLock Part B (Activator)

Section 313 (Specific toxic chemical listings):	(Contd. of pa
All ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.	
Chemicals known to cause developmental toxicity: None of the ingredients is listed.	
None of the ingreatents is tisted.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
All components have the value A4.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globall Hazard pictograms	y Harmonized System (GHS
GHS07	
Signal word Warning	
Hazard-determining components of labeling:	
Dibenzoyl peroxide Hazard statements	
May cause an allergic skin reaction.	
Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.	
If on skin: Wash with plenty of water.	
ij on skin. Wash with pienty of water.	
Take off contaminated clothing and wash it before reuse.	
Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	and regulations

US

Date of issue: 02/21/2025

Reviewed on 01/10/2025

Trade name: SeamLock Part B (Activator)

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of previous version 01/10/2025
- Date of preparation 02/21/2025
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Sensitization skin 1: Skin sensitisation Category 1
- * Data compared to the previous version altered.