

## Safety Data Sheet according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

### 1 Identification

- **Product identifier**
- **Trade name:** BD810NS Part A (Resin)
- **Details of the supplier of the safety data sheet**  
Big Dog Adhesives LLC  
435 Harrison St  
Elkhart IN 46516  
USA
- **Information department:** Product safety department
- **Emergency telephone number:** 24 Hours: CHEMTREC 1-800-424-9300

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer.

Specific target organ toxicity (repeated exposure) 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin irritation 2

H315 Causes skin irritation.

Eye irritation 2A

H319 Causes serious eye irritation.

Sensitization - skin 1

H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Warning

- **Hazard-determining components of labeling:**

2-hydroxyethyl methacrylate

 $\alpha$ ,  $\alpha$ -dimethylbenzyl hydroperoxide

N,N-dimethyl-p-toluidine

(Contd. on page 2)

US

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

**Trade name: BD810NS Part A (Resin)**

(Contd. of page 1)

· **Hazard statements**

- Causes skin irritation.
- Causes serious eye irritation.
- May cause an allergic skin reaction.
- Suspected of causing cancer.
- May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash thoroughly after handling.
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- IF exposed or concerned: Get medical advice/attention.
- Specific treatment (see on this label).
- Get medical advice/attention if you feel unwell.
- Take off contaminated clothing and wash it before reuse.
- If skin irritation or rash occurs: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### \* 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

**Trade name: BD810NS Part A (Resin)**

(Contd. of page 2)

· <b>Dangerous components:</b>		
868-77-9	2-hydroxyethyl methacrylate	15–40%
7664-38-2	phosphoric acid . %, orthophosphoric acid . %	1–5%
80-15-9	$\alpha$ , $\alpha$ -dimethylbenzyl hydroperoxide	$\geq 1$ –<3%
99-97-8	N,N-dimethyl-p-toluidine	0.1–1%

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- **Protective Action Criteria for Chemicals**

· <b>PAC-1:</b>		
868-77-9	2-hydroxyethyl methacrylate	1.9 mg/m <sup>3</sup>
7664-38-2	phosphoric acid . %, orthophosphoric acid . %	3 mg/m <sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

**Trade name: BD810NS Part A (Resin)**

(Contd. of page 3)

80-15-9	$\alpha$ , $\alpha$ -dimethylbenzyl hydroperoxide	0.15 ppm
98-82-8	Cumene	50 ppm

**· PAC-2:**

868-77-9	2-hydroxyethyl methacrylate	21 mg/m <sup>3</sup>
7664-38-2	phosphoric acid . %, orthophosphoric acid . %	30 mg/m <sup>3</sup>
80-15-9	$\alpha$ , $\alpha$ -dimethylbenzyl hydroperoxide	1.6 ppm
98-82-8	Cumene	300 ppm

**· PAC-3:**

868-77-9	2-hydroxyethyl methacrylate	1,000 mg/m <sup>3</sup>
7664-38-2	phosphoric acid . %, orthophosphoric acid . %	150 mg/m <sup>3</sup>
80-15-9	$\alpha$ , $\alpha$ -dimethylbenzyl hydroperoxide	9.7 ppm
98-82-8	Cumene	730 ppm

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**· Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

**· Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

<b>7664-38-2 phosphoric acid . %, orthophosphoric acid . %</b>	
PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
TLV	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
<b>80-15-9 <math>\alpha</math>, <math>\alpha</math>-dimethylbenzyl hydroperoxide</b>	
WEEL	Long-term value: 6 mg/m <sup>3</sup> , 1 ppm Skin

(Contd. on page 5)

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

Trade name: **BD810NS Part A (Resin)**

(Contd. of page 4)

**99-97-8 N,N-dimethyl-p-toluidine**

WEEL Long-term value: 0.5 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## \* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

According to product specification

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

Undetermined.

· **Boiling point/Boiling range:**

205–208°C (401–406.4°F)

· **Flammability:**

Not applicable.

· **Explosion limits:**

· **Lower:**

Not determined.

(Contd. on page 6)

US

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

Trade name: **BD810NS Part A (Resin)**

(Contd. of page 5)

· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	97°C (206.6°F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic:</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Vapor pressure at 68°C (154.4°F):</b>	1.3 hPa (1 mm Hg)
· <b>Vapor pressure:</b>	
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Particle characteristics</b>	Not applicable.

· <b>Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	0.1 %
· <b>VOC content:</b>	0.09 %
	0.9 g/l / 0.01 lb/gal
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Oral	LD50	14,588 mg/kg
Dermal	LD50	27,778 mg/kg (rat)
Inhalative	LC50/4 h	12,222 mg/l (rat)

(Contd. on page 7)

US

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

**Trade name: BD810NS Part A (Resin)**

(Contd. of page 6)

**868-77-9 2-hydroxyethyl methacrylate**

Oral	LD50	5,050 mg/kg (rat)
------	------	-------------------

**80-15-9  $\alpha$ ,  $\alpha$ -dimethylbenzyl hydroperoxide**

Oral	LD50	382 mg/kg (rat)
------	------	-----------------

Dermal	LD50	500 mg/kg (rat)
--------	------	-----------------

Inhalative	LC50/4 h	220 mg/l (rat)
------------	----------	----------------

**99-97-8 N,N-dimethyl-p-toluidine**

Oral	LD50	140 mg/kg (ATE)
------	------	-----------------

Inhalative	LC50/4 h	1.4 mg/l (ATE)
------------	----------	----------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

99-97-8	N,N-dimethyl-p-toluidine	2B
---------	--------------------------	----

98-82-8	Cumene	2B
---------	--------	----

- **NTP (National Toxicology Program)**

98-82-8	Cumene	R
---------	--------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Alternative sources for toxicological information**  
No non-standard sources for toxicological information where used.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.

US

(Contd. on page 8)

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

Trade name: **BD810NS Part A (Resin)**

(Contd. of page 7)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** not regulated
- **UN proper shipping name**
- **DOT, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **DOT, ADN, IMDG, IATA**
- **Class** not regulated
- **Packing group**
- **DOT, IMDG, IATA** not regulated
- **Environmental hazards:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.
- **Special precautions for user** Not applicable.
- **UN "Model Regulation":** not regulated

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

#### · Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid . %, orthophosphoric acid . %

80-15-9  $\alpha$ ,  $\alpha$ -dimethylbenzyl hydroperoxide

98-82-8 Cumene

#### · TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

#### · Hazardous Air Pollutants

98-82-8 Cumene

(Contd. on page 9)

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

Trade name: **BD810NS Part A (Resin)**

(Contd. of page 8)

· **Proposition 65**

· **Chemicals known to cause cancer:**

99-97-8 | *N,N*-dimethyl-*p*-toluidine

98-82-8 | Cumene

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

98-82-8 | Cumene

D, CBD

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07   GHS08

· **Signal word** Warning

· **Hazard-determining components of labeling:**

*2*-hydroxyethyl methacrylate $\alpha$ ,  $\alpha$ -dimethylbenzyl hydroperoxide*N,N*-dimethyl-*p*-toluidine

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

(Contd. on page 10)

# Safety Data Sheet

## according to GHS

Date of issue: 12/02/2025

Reviewed on 12/02/2025

**Trade name: BD810NS Part A (Resin)**

(Contd. of page 9)

- Take off contaminated clothing and wash it before reuse.*
- If skin irritation or rash occurs: Get medical advice/attention.*
- If eye irritation persists: Get medical advice/attention.*
- Store locked up.*
- Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** *Environment protection department.*
- **Contact:** -
- **Date of previous version** 12/02/2025
- **Date of preparation** 12/02/2025
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods*
  - DOT: US Department of Transportation*
  - IATA: International Air Transport Association*
  - EINECS: European Inventory of Existing Commercial Chemical Substances*
  - ELINCS: European List of Notified Chemical Substances*
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
  - NFPA: National Fire Protection Association (USA)*
  - HMIS: Hazardous Materials Identification System (USA)*
  - VOC: Volatile Organic Compounds (USA, EU)*
  - LC50: Lethal concentration, 50 percent*
  - LD50: Lethal dose, 50 percent*
  - PBT: Persistent, Bioaccumulative and Toxic*
  - vPvB: very Persistent and very Bioaccumulative*
  - NIOSH: National Institute for Occupational Safety*
  - OSHA: Occupational Safety & Health*
  - TLV: Threshold Limit Value*
  - PEL: Permissible Exposure Limit*
  - REL: Recommended Exposure Limit*
  - Skin irritation 2: Skin corrosion/irritation – Category 2*
  - Eye irritation 2A: Serious eye damage/eye irritation – Category 2A*
  - Sensitization - skin 1: Skin sensitisation – Category 1*
  - Carcinogenicity 2: Carcinogenicity – Category 2*
  - Specific target organ toxicity (repeated exposure) 2: Specific target organ toxicity (repeated exposure) – Category 2*
- **\* Data compared to the previous version altered.**

US