

Date of issue: 01/27/2025

*

Reviewed on 01/13/2025

Page 1/9

Product identifier			
Trade name: BD5405NS Part A	l (Resin)		
CAS Number:			
25068-38-6			
Other means of identification			
NLP Number:			
500-033-5			
Index number:			
603-074-00-8			
Details of the supplier of the sa	fetv data sheet		
Manufacturer/Supplier:	2		
Big Dog Adhesives LLC			
435 Harrison Street			
ELKHART, IN 46516			
USA			
Information department: Produ	ict safety department		
Emergency telephone number:	5 5 1		
During normal opening times: +	-1 (520) 271-7313		
24 Hours: CHEMTREC 1-800-4			

· Classification of the substance or mixture

GHS07

Skin irritation 2H315 Causes skin irritation.Eye irritation 2AH319 Causes serious eye irritation.Sensitization - skin 1H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

 Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)
 Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

(Contd. on page 2)

US

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

(Contd. of page 1)
· Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Specific treatment (see on this label).
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Information pertaining to particular dangers for man and environment:
· Classification system:
· NFPA ratings (scale 0 - 4)
1111 A Tuungs (seure 0 - 4)
Health = 2
Fire = 1
2 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 2 $H_{ealth} = 2$
FIRE 1 $Fire = 1$
REACTIVITY 0 Reactivity = 0
· Other hazards
• Results of PBT and vPvB assessment • PBT: Not applicable.
· vPvB: Not applicable.
Classification according to (d)(1)(ii) of § 1910.12000
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor
products.
Hazards not otherwise classified
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard
Communications Standard.
3 Composition/information on ingredients
- compositions information on ingreatents
· Chemical characterization: Substances
· CAS No. Description

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700)

- · Identification number(s)
- · NLP Number: 500-033-5
- · Index number: 603-074-00-8

4 First-aid measures

• Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US

Date of issue: 01/27/2025

Reviewed on 01/13/2025

(Contd. of page 2)

Trade name: BD5405NS Part A (Resin)

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

· Protective Action Criteria for Chemicals

• PAC-1:	
	90 mg/m ³
• PAC-2:	
	990 mg/m ³
· PAC-3:	

5,900 mg/m³

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

US

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Physical state

Fluid

(Contd. on page 5)

US

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

	(Contd. of pag
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flammability:	Not applicable.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH-value:	Not determined.
Viscosity:	
Kinematic:	Not determined.
Dynamic:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not determined.
Vapor pressure:	
Density at 20 °C (68 °F):	1.17 g/cm³ (9.76365 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Particle characteristics	Not applicable.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of hea environment, and on safety.	lth and
Ignition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Change in condition	
Evaporation rate	Not determined.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
- *Interactive effects* No interactive effects between components are known.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

• *Alternative sources for toxicological information* No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- *Bioaccumulative potential* No further relevant information available.
- Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

(Contd. of page 6)

UN-Number	
DOT, IMDG, IATA	not regulated
UN proper shipping name	
DOT, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Kemler code)	: 90
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	SOLID, N.O.S. (REACTION PRODUCT: BISPHENOL-
	(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAG MOLECULAR WEIGHT ≤ 700)), 9, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.
Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

• Chemicals known to cause cancer:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 8)

US

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

(Contd. of page 7)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: -

• Date of previous version 01/10/2025

• Date of preparation 01/27/2025

Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

(Contd. on page 9)

Date of issue: 01/27/2025

Reviewed on 01/13/2025

Trade name: BD5405NS Part A (Resin)

HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin irritation 2: Skin corrosion/irritation – Category 2
Eye irritation 2A: Serious eye damage/eye irritation – Category 1
* Data compared to the previous version altered.

(Contd. of page 8)

US