

## Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

### 1 Identification

- **Product identifier**
- **Trade name:** BD9102NS Part B (Hardener)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Big Dog Adhesives LLC  
435 Harrison Street  
Elkhart IN 46516  
USA
- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (574) 350-2237  
24 Hours: CHEMTREC 1-800-424-9300

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin corrosion 1A     H314 Causes severe skin burns and eye damage.

Eye damage 1     H318 Causes serious eye damage.



GHS07

Sensitization - skin 1     H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
3,3'-Oxybis(ethyleneoxy)bis(propylamine)  
3,6-diazaoctanethylenediamin
- **Hazard statements**  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.
- **Precautionary statements**  
Do not breathe dusts or mists.  
Wash thoroughly after handling.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: **BD9102NS Part B (Hardener)**

(Contd. of page 1)

Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves / eye protection / face protection.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing.  
 Immediately call a poison center/doctor.  
 Specific treatment (see on this label).  
 Take off contaminated clothing and wash it before reuse.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Wash contaminated clothing before reuse.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Classification according to (d)(1)(ii) of § 1910.12000**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

471-34-1	calcium carbonate	30–60% *
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	15–40% *
67762-90-7	Simethicone	1–5% *
112-24-3	3,6-diazaoctanethylenediamin	≥0.1–<1% *

\* Actual concentration ranges are withheld as a trade secret.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: BD9102NS Part B (Hardener)

(Contd. of page 2)

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

471-34-1	calcium carbonate	45 mg/m <sup>3</sup>
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	13 mg/m <sup>3</sup>
67762-90-7	Simethicone	120 mg/m <sup>3</sup>
112-24-3	3,6-diazaoctanethylenediamin	3 ppm

### · PAC-2:

471-34-1	calcium carbonate	210 mg/m <sup>3</sup>
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	140 mg/m <sup>3</sup>
67762-90-7	Simethicone	1,300 mg/m <sup>3</sup>
112-24-3	3,6-diazaoctanethylenediamin	14 ppm

### · PAC-3:

471-34-1	calcium carbonate	1,300 mg/m <sup>3</sup>
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	850 mg/m <sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: **BD9102NS Part B (Hardener)**

(Contd. of page 3)

67762-90-7	Simethicone	7,900 mg/m <sup>3</sup>
112-24-3	3,6-diazaoctanethylenediamin	83 ppm

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

471-34-1 calcium carbonate	
PEL	Long-term value: 15 * 5 ** mg/m <sup>3</sup> *total dust **respirable fraction
REL	Long-term value: 10 * 5 ** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	TLV withdrawn
112-24-3 3,6-diazaoctanethylenediamin	
WEEL	Long-term value: 6 mg/m <sup>3</sup> , 1 ppm
	Skin

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: **BD9102NS Part B (Hardener)**

(Contd. of page 4)

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Physical state

Fluid

#### · Color:

According to product specification

#### · Odor:

Characteristic

#### · Odor threshold:

Not determined.

#### · Melting point/Melting range:

Undetermined.

#### · Boiling point/Boiling range:

Undetermined.

#### · Flammability:

Not applicable.

#### · Explosion limits:

#### · Lower:

Not determined.

#### · Upper:

Not determined.

#### · Flash point:

121.1°C (250°F)

#### · Decomposition temperature:

Not determined.

#### · pH-value:

Not determined.

#### · Viscosity:

#### · Kinematic:

Not determined.

#### · Dynamic:

Not determined.

#### · Solubility in / Miscibility with

#### · Water:

Not miscible or difficult to mix.

#### · Partition coefficient (n-octanol/water):

Not determined.

#### · Vapor pressure:

Not determined.

#### · Vapor pressure:

#### · Density:

Not determined.

#### · Relative density

Not determined.

#### · Vapor density

Not determined.

#### · Particle characteristics

Not applicable.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: BD9102NS Part B (Hardener)

(Contd. of page 5)

- **Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Solvent content:**
- **VOC content:** 1.2 g/L mixed
- **Change in condition**
- **Evaporation rate** Not determined.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Inhalative	LC50/4 h	75 mg/l
------------	----------	---------

**471-34-1 calcium carbonate**

Oral	LD50	6,450 mg/kg (rat)
------	------	-------------------

**4246-51-9 3,3'-Oxybis(ethyleneoxy)bis(propylamine)**

Oral	LD50	4,310 mg/kg (rat)
Dermal	LD50	2,510 mg/kg (rabbit)

**112-24-3 3,6-diazaoctanethylenediamin**

Oral	LD50	2,500 mg/kg (rat)
Dermal	LD50	805 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: **BD9102NS Part B (Hardener)**

(Contd. of page 6)

**Irritant**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

UN1760

· **UN proper shipping name**

· **DOT**

Corrosive liquids, n.o.s. (3,3'-Oxybis(ethyleneoxy) bis(propylamine))

(Contd. on page 8)



# Safety Data Sheet



## acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: **BD9102NS Part B (Hardener)**

(Contd. of page 7)

· <b>IMDG</b>	<i>CORROSIVE LIQUID, N.O.S. (3,3'-Oxybis(ethyleneoxy)bis(propylamine))</i>
· <b>IATA</b>	<i>Corrosive liquid, n.o.s. (3,3'-Oxybis(ethyleneoxy)bis(propylamine))</i>
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Special precautions for user</b>	Warning: Corrosive substances
· <b>Hazard identification number (Kemler code):</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	(SGG18) Alkalies
· <b>Stowage Category</b>	B
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>UN "Model Regulation":</b>	UN 1760 CORROSIVE LIQUID, N.O.S. (3,3'-OXYBIS(ETHYLENEOXY)BIS(PROPYLAMINE)), 8, III

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

Trade name: BD9102NS Part B (Hardener)

(Contd. of page 8)

· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS05 GHS07

· **Signal word** Danger· **Hazard-determining components of labeling:**

3,3'-Oxybis(ethyleneoxy)bis(propylamine)

3,6-diazaoctanethylenediamin

· **Hazard statements**

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 10)

# Safety Data Sheet

## acc. to OSHA HCS

Date of issue: 03/04/2025

Reviewed on 03/04/2025

**Trade name: BD9102NS Part B (Hardener)**

(Contd. of page 9)

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*

*If inhaled: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment (see on this label).*

*Take off contaminated clothing and wash it before reuse.*

*If skin irritation or rash occurs: Get medical advice/attention.*

*Wash contaminated clothing before reuse.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Environment protection department.

· **Contact:** -

· **Date of previous version** 02/20/2025

· **Date of preparation** 03/04/2025

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin corrosion 1A: Skin corrosion/irritation – Category 1A

Eye damage 1: Serious eye damage/eye irritation – Category 1

Sensitization - skin 1: Skin sensitisation – Category 1

· **\* Data compared to the previous version altered.**